Sensitivity:	SYMBOL	REVISION RECORD		DATE	AUTH.
12 minutes per Division	A Redrawn, Added Dimensions		4/12/1988	V.J.C.	
Tolerance: ± 2.0 minutes	<b>B</b> Added ± .031" to Note 5		2/7/1989	V.J.C	
Range: 1.2 degrees on each side	each side C Redrawn, Revised Notes		3/14/2007	D.B.O.	
NOTES: (1) All dimensions are inches (2) Division Spacing: .150" (3) Fluid: Methanol & Fluorescein (Yello (4) Graduations: Black & Red Ceramic (5) Bubble Length: .437" ± .031"		-3.250" ± .031"	4 <sup>th</sup> , 8 <sup>th</sup> & 12 <sup>th</sup> Lines to be RED  125"  .625"  .500"	Plaster po to end & pa black (2 pl	oured ainted
	\	·	± .010"		
•	ANCES: (Except as noted)		Drawn by: David Oster	DATE: April 12	2, 1988
	l: ± .015"	Housing: Brass			
3,	al ± 1/64"	Vial: Glass	TUBULAR	DRAWING N	IUMBER
	: ± 1 degree	Protective Finish on Housing:	LEVEL	4 - 40	123
SCALE	: NONE	Black Lacquer Paint		<u> </u>	723